

# SAFETY DATA SHEET

## LICAL GREASE 400G CARTRIDGE

Infosafe No.: LQ8NX  
ISSUED Date : 25/01/2018  
ISSUED by: YAMAHA MOTOR AUSTRALIA

### 1. IDENTIFICATION

**GHS Product Identifier**

LICAL GREASE 400G CARTRIDGE

**Product Code**

YMD-69010-0C-02

**Company Name**

YAMAHA MOTOR AUSTRALIA

**Address**

489-493 Victoria Street Wetherill Park  
NSW 2164 AUSTRALIA

**Emergency phone number**

1800 638 556 (Australia)  
+64 96239085 (New Zealand)

**Recommended use of the chemical and restrictions on use**

Lubricating grease

**Other Names**

Name	Product Code
GREASE LICAL TUBE 225G (12)	YMD-69010-0T-A3

### 2. HAZARD IDENTIFICATION

**GHS classification of the substance/mixture**

Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Information on Composition**

This product is formulated with mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% DMSO extractables by the IP 346 test.

**Ingredients**

Name	CAS	Proportion
Ingredients determined not to be hazardous		100 %

### 4. FIRST-AID MEASURES

**Inhalation**

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

**Ingestion**

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

**Skin**

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

**Eye contact**

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

**First Aid Facilities**

Eyewash and normal washroom facilities.

**Advice to Doctor**

Treat symptomatically.

---

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Dry chemical, carbon dioxide and foam.

**Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

**Specific Hazards Arising From The Chemical**

This product will burn if exposed to fire.

**Decomposition Temperature**

Not available

**Precautions in connection with Fire**

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

---

## 6. ACCIDENTAL RELEASE MEASURES

**Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Spillage can be slippery. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

---

## 7. HANDLING AND STORAGE

**Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.

**Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

**Storage Temperatures**

Not exceeding 50°C.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Occupational exposure limit values

No exposure standards have been established for this material, however, the TWA exposure standards for refined mineral oil mist is 5 mg/m<sup>3</sup>. As with all chemicals, exposure should be kept to the lowest possible levels.

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Source: Safe Work Australia

### Biological Limit Values

No biological limits allocated.

### Appropriate Engineering Controls

Provide sufficient ventilation to keep airborne levels below the exposure limits or as low as possible. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required.

Refer to relevant regulations for further information concerning ventilation requirements.

### Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist/dust filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715 (2009), Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716 (2012), Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

### Eye Protection

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 2 & 6 (2012) - Eye Protectors for Industrial Applications.

### Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1 (2016): Occupational protective gloves - Selection, use and maintenance.

### Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### Form

Grease

### Appearance

Grease

### Colour

Yellowish-brown

### Odour

Mineral oil

### Decomposition Temperature

Not available

### Melting Point

Not available

### Boiling Point

Not available

### Solubility in Water

Immiscible

**pH**

Not available

**Vapour Pressure**

Not available

**Vapour Density (Air=1)**

Not available

**Evaporation Rate**

Not available

**Odour Threshold**

Not available

**Viscosity**

Not available

**Partition Coefficient: n-octanol/water**

Not available

**Density**

<1000 kg/m<sup>3</sup> (25°C)

**Flash Point**

>150°C

**Flammability**

Not flammable

**Auto-Ignition Temperature**

Not available

**Flammable Limits - Lower**

Not available

**Flammable Limits - Upper**

Not available

## 10. STABILITY AND REACTIVITY

---

**Reactivity**

Reacts with incompatible materials.

**Chemical Stability**

Stable under normal conditions of storage and handling.

**Conditions to Avoid**

Heat, open flames and other sources of ignition.

**Incompatible materials**

Strong oxidizing agents.

**Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes including: carbon dioxide and carbon monoxide.

**Possibility of hazardous reactions**

Not available

## 11. TOXICOLOGICAL INFORMATION

---

**Toxicology Information**

No toxicity data available for this material.

**Ingestion**

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

**Inhalation**

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

**Skin**

May be irritating to skin. The symptoms may include redness, itching and swelling. Repeated exposure may cause skin dryness or cracking.

**Eye**

May be irritating to eyes. The symptoms may include redness, itching and tearing.

**Respiratory sensitisation**

Not expected to be a respiratory sensitiser.

**Skin Sensitisation**

Not expected to be a skin sensitiser.

**Germ cell mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard.

Mineral oils, highly-refined is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

---

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

No ecological data available for this material.

**Persistence and degradability**

Not readily biodegradable.

**Mobility**

The product floats on water. In the event of spillage on the ground, the product will be adsorbed to earth particles.

**Bioaccumulative Potential**

Not available

**Other Adverse Effects**

Not regarded as dangerous for the environment.

**Environmental Protection**

Prevent this material entering waterways, drains and sewers.

---

## 13. DISPOSAL CONSIDERATIONS

**Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

---

## 14. TRANSPORT INFORMATION

**Transport Information**

Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport

by sea.  
Air Transport (ICAO/IATA):  
Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**U.N. Number**

None Allocated

**UN proper shipping name**

None Allocated

**Transport hazard class(es)**

None Allocated

**IMDG Marine pollutant**

No

**Transport in Bulk**

Not available

**Special Precautions for User**

Not available

## 15. REGULATORY INFORMATION

---

**Regulatory information**

Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Poisons Schedule**

Not Scheduled

## 16. OTHER INFORMATION

---

**Date of preparation or last revision of SDS**

SDS amendment: December 2019

1. Identification

SDS amendment: June 2018

1. Identification

SDS created: January 2018

**References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants, Safe work Australia.

American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals.

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.